

Deep Learning Approaches in Medical Image Segmentation: Implications for Brain Tumor Detection and Analysis

Taiwo Adigun¹, Adebisi Olosunde² and Ibukun Eweoya³

^{1&3}Department of Software Engineering, ²Department of Computer Science,
Babcock University, Ilishan-Remo, Ogun State, Nigeria

¹Department of Software Engineering, University of Lay Adventist of Kigali, Rwanda

E-mail: olosunde0082@pg.babcock.edu.ng, eweoyai@babcock.edu.ng

Corresponding Author: adigunt@babcock.edu.ng

(Received 22 November 2024; Revised 29 December 2024, Accepted 28 January 2025; Available online 04 February 2025)

Abstract - The procedure of image segmentation involves splitting images into distinct components to discern similarities or differences between regions. This facilitates the quantitative and/or qualitative analysis of lesions, thereby enhancing the reliability and accuracy of medical diagnoses. Traditionally, medical image segmentation was performed manually, slice by slice, requiring a high level of expertise to accurately define boundaries for individual areas. This manual process is time-consuming and error prone. Currently, several deep learning methods have achieved significant advancements in image segmentation, surpassing the accuracy of traditional approaches. This study reviewed the effectiveness of deep learning models in accurately segmenting images of brain tumor patients. A search of the PubMed and Google Scholar databases, as well as the Asian Journal archives, was conducted to retrieve recent literature using the keywords: deep learning, Magnetic Resonance Imaging, image segmentation, and medical image processing. References from relevant literature were also reviewed to obtain additional sources. A critical and direct assessment of deep learning technologies on tumor MRI images was subsequently performed using these sources. The Dice scores served as metrics for evaluating the performance of the deep learning models. Based on the Dice scores, it can be inferred that deep learning models such as 3D FCNs, ResNet models, AGSE-VNet models, and encoder-decoder CNN architectures exhibit high segmentation accuracy in brain tumor images. The promising results demonstrated by deep learning-based segmentation approaches underscore their potential to enhance diagnostic capabilities in brain tumor detection and analysis.

Keywords: Image Segmentation, Deep Learning, Brain Tumor, Magnetic Resonance Imaging (MRI), Dice Scores

I. INTRODUCTION

Image segmentation involves processes that split images into their constituent parts or components. It is an essential and challenging aspect of image processing that has gained significant importance in the domain of image understanding [1], [2]. Segmentation is critical for distinguishing the subject of an image from its surroundings. Current trends in image segmentation emphasize improved speed and accuracy. Innovations leveraging new technologies and theories have led to the development of versatile segmentation algorithms applicable across various image types [3].

High-resolution imaging, which provides radiologists with multi-oriented views of soft tissues, diseases, and human organs in three dimensions, forms the foundation of recent imaging modalities [4]. X-rays, Ultrasound Imaging (UI), Computed Tomography (CT), Magnetic Resonance Imaging (MRI), and Positron Emission Tomography (PET) are the primary medical imaging modalities frequently utilized in healthcare facilities. Medical images derived from these modalities present valuable information that medical professionals use to analyze patients' conditions. Consequently, medical images have become the cornerstone of physicians' clinical diagnoses [5].

Traditional techniques for segmenting medical images, such as Edge-Based Segmentation and Region-Based Segmentation, were performed manually, slice by slice. These methods required a high level of expertise to accurately define boundaries for discrete regions and exhibited significant intra-observer variability in segmentation results. Manual editing is also time-consuming and prone to errors [6], [7].

Deep learning (DL), a subset of artificial intelligence, enables computers to understand the world through experience, learning in terms of a hierarchy of concepts. Recent advances in deep learning have achieved remarkable feats in visual pattern recognition. DL offers the significant advantage of learning discriminative features, thereby improving classification accuracy. It employs recurrent learning and correction to uncover patterns and hidden rules in images [8], [9]. Deep learning-based image segmentation excels in both accuracy and speed, outperforming traditional machine learning and computer vision methods. When applied to medical images, DL proves invaluable for confirming tumor sizes, quantifying treatment effects, and significantly reducing doctors' workloads [10].

For this review, a search of the PubMed and Google Scholar databases, as well as the Asian Journal archives, was conducted to retrieve recent literature using the keywords: deep learning, Magnetic Resonance Imaging, image segmentation, and medical image processing. References from relevant literature were also reviewed to obtain

additional sources. This study provides an extensive assessment of deep learning technologies in medical imaging from the last three years, emphasizing recent advancements alongside traditional approaches from earlier periods.

II. SEGMENTATION IN MEDICAL IMAGING

Medical images from multiple modalities, including CT, MRI, and US, frequently display intricate structures and ambiguous features due to factors such as acquisition constraints, pathological conditions, and individual biological differences, which hinder accurate image analysis and diagnosis [4]. Image segmentation divides an image into sections based on homogeneous attributes such as color, brightness, texture, and responsiveness.

Generally, segmentation facilitates the description of anatomical structures in an image by identifying regions of interest [4]. Traditionally, medical image segmentation was performed manually, slice by slice, requiring a high level of expertise to accurately define boundaries for individual areas. This manual editing process is time-consuming.

Several segmentation techniques employing computer algorithms have been developed to manipulate and process digital images, enabling the analysis of 2D or 3D images. These techniques allow the visualization of human organs, soft tissues, and diseases, as well as image extraction, three-dimensional reconstruction, and segmentation. By discerning similarities or differences between regions, images are divided into segments, enabling the quantitative or qualitative analysis of lesions and other areas of interest. This approach substantially enhances the reliability and accuracy of medical diagnoses.

Computer-aided segmentation techniques can be categorized into three groups: supervised, interactive (semi-supervised), and automatic (unsupervised) [3], [11]. Supervised segmentation techniques utilize manually labeled training data for the detection of specific objects in images, which limit their scope [3]. Interactive segmentation techniques in medical imaging refined algorithms with user guidance, a process critical for diagnostics and interventions. Users actively define and adjust segmentations, improving accuracy, handling complex structures, and providing essential support for surgical planning and navigation [13].

Unsupervised (automatic) segmentation techniques split images into components without prior knowledge or user interaction. These methods are typically applied to segment well-circumscribed objects. Using stacks of medical images, they can generate roughly segmented images that can be further refined by human experts [12].

A. Steps in Medical Image Segmentation

The steps involved in medical image segmentation include the following:

1. *Data Collection*: Create a medical imaging dataset divided into training, validation, and test sets. These include:
 - a. *Training Set*: Used for model training.
 - b. *Validation Set*: Used for hyperparameter adjustment.
 - c. *Test Set*: Used for final model evaluation.
2. *Image Preprocessing*: Standardize input images, apply random rotation and scaling, and increase the dataset size for machine learning-based processing.
3. *Medical Image Segmentation*: Use appropriate segmentation techniques to process medical images and produce segmented outputs.
4. *Performance Evaluation*: Create performance indicators and assess the effectiveness of the segmentation techniques.

Deep learning techniques have recently achieved significant advancements in image segmentation, surpassing the accuracy of traditional approaches. However, non-deep-learning computational approaches, such as the Cellular Automata (CA) algorithm, have also shown promise for brain tumor segmentation using MR images [24]. The CA algorithm supports researchers and clinicians in radiosurgery planning and therapy assessment by differentiating necrotic and enhanced tumor tissue content.

The CA algorithm involves three stages:

1. *Volume of Interest (VOI) Selection*: Over the tumor's largest visible diameter, background and foreground seeds are selected based on user-defined lines.
2. *Strength Map Generation*: Probability and level-set surface maps are obtained by running the CA algorithm on the VOI to impose spatial smoothness.
3. *Final Segmentation*: The necrotic tumor regions are segmented using the chosen enhanced and necrotic seeds.

An automated framework was also developed in [24] for brain tumor segmentation. It identifies edema and necrosis components, as well as brain internal structures, using 3D MRI images. This deformable framework is constrained by spatial relations using fuzzy classification and symmetry-based histogram analysis. The computational approach is applicable to various MRI modalities and tumor classes.

Fully convolutional networks (FCNs) represent a pioneering deep learning model, successfully applying convolutional neural networks to semantic image segmentation. While traditional segmentation techniques, such as threshold-based, edge-detection-based, and region-based methods, are no longer as effective compared to deep learning-based methods, their underlying concepts remain valuable. These approaches leverage mathematical and digital image processing principles. Although they offer simplicity and high segmentation speed, they often lack accuracy and detail in complex cases.

III. DEEP LEARNING OVERVIEW

Deep learning represents a prominent perspective within the expanding fields of artificial intelligence (AI) and machine learning (ML). Using deep neural networks (DNNs), it mimics the cognitive learning mechanisms of the human brain, extracting features from extensive datasets, including text, images, and sound, often through an unsupervised approach [8].

Neural networks (NNs) comprise interconnected neurons that act as small information processors. Together, these neurons form a complete deep neural network capable of processing images end-to-end. As the number of hidden layers increases, the network transitions into deep learning. Tackling the challenges of training deep networks requires effective layer initialization and batching techniques, positioning deep learning at the forefront of current research [3].

In computer vision, deep learning is applied in various areas such as pattern recognition, handwritten number recognition, and data dimensionality reduction. It is also utilized in processes like image segmentation, image recognition, scene analysis, image repair, and object tracking, demonstrating remarkable effectiveness in these domains [5].

A. Convolutional Neural Network (CNN)

CNNs are structured with layers dedicated to functions such as convolution, pooling, and loss calculation. The initial layer connects directly to the input image, featuring neurons corresponding to the pixel count. Intermediate layers receive inputs from the preceding layer. Convolutional layers extract features by convolving filters with input data, where kernels (filters) are designer-defined. Each neuron responds to a specific area of the input, known as the receptive field. Convolutional layers produce activation maps that depict the filter's impact on the input. Activation layers then introduce non-linearity post-convolution.

Depending on the design, the next layer may be a pooling layer, which employs strategies like max pooling or average pooling to reduce output dimensionality. Fully connected layers extract high-level abstractions. During training, neural connections and kernels continuously optimize through backpropagation [14].

Within these layers, units have local connections, receiving weighted inputs from small neighboring units (the receptive field) in the preceding layer. As layers stack to create multi-resolution pyramids, higher-level layers acquire features from progressively broader receptive fields [1].

CNNs share weights among receptive fields within a layer, reducing the number of parameters compared to fully

connected neural networks. This weight-sharing mechanism provides CNNs with a significant computational advantage.

Some of the most well-known CNN architectures include ResNet, AlexNet, DenseNet, U-Net, MobileNet, and GoogLeNet.

This review study focuses on evaluating deep learning algorithms for MRI brain tumor image segmentation. However, deep learning also finds applications in other domains, such as agriculture. For instance, a review in [28] examined the use of deep learning approaches for detecting and classifying tomato plant diseases using plant images. Several DL architectures, including AlexNet, SqueezeNet, VGG, VGG16, ResNet, Faster R-CNN, LeNet, S-CNN, and MobileNet, were analyzed and reported.

The performance of a deep learning algorithm (CNN) was compared with two machine learning algorithms, Support Vector Classifier (SVC) and Random Forest (RF), for buccal X-ray image segmentation in [26]. Using threshold and region-based strategies, the study discovered and analyzed teeth structures and patterns with the help of decision support systems. Interestingly, the SVC and RF algorithms outperformed CNN after a comprehensive comparison using the same data. This suggests that external factors may influence the application of DL approaches.

B. Recurrent Neural Networks (RNNs)

RNNs are specialized artificial neural networks designed for sequential data processing, such as time series and language. Unlike conventional feedforward networks, RNNs feature cyclical connections that form loops, allowing them to retain memories of past inputs. This cyclic structure enables RNNs to adeptly capture temporal dependencies, making them ideal for tasks involving sequences, such as language prediction and time series forecasting.

In RNNs, the network's hidden layers retain information about previous inputs, enabling consideration of context from earlier sequence elements [16]. A feedback loop is employed, where the output of one cell serves as the input for the next step, facilitating the learning of dependencies.

RNNs are widely applied in time series analysis, natural language processing, and speech recognition. However, they face challenges such as vanishing gradients, which hinder the capture of long-range dependencies.

To address these limitations, advanced architectures such as Gated Recurrent Units (GRUs) and Long Short-Term Memory (LSTM) networks have been developed, significantly improving the performance and reliability of RNNs in sequential data tasks [3].




Fig. 1 Structure of a CNN [15]

IV. DEEP LEARNING APPLICATION TO BRAIN TUMOR IMAGE SEGMENTATION

Numerous studies have employed deep learning techniques for segmenting brain tumor images. Essential studies have been selected, analyzed, and discussed below based on specific search criteria. The segmentation performance of these techniques is evaluated using a metric called the Dice score, which measures the similarity between predicted and ground truth regions. This determines the regions of interest (ROIs) to be automatically segmented. The key ROIs segmented in this review are the Tumor Core (TC), Whole Tumor (WT), and Enhanced Tumor (ET).

A novel architecture called the 3D multimodal fully convolutional network (FCN) was proposed in [17] for segmenting brain MR images with isointense phases. The dataset comprised MR images of 11 healthy infants, including T1, T2, and diffusion-weighted (DW) sequences. The T2 and fractional anisotropy (FA) images were aligned with the corresponding T1 images and upsampled to a resolution of $1 \times 1 \times 1 \text{ mm}^3 \times 1 \times 1 \times 1 \text{ mm}^3$. Initial segmentations were generated using the iBEAT software, followed by manual editing to correct errors. The 3D FCN integrated coarse and dense layer information, refining segmentation performance by fusing features from different scales and incorporating contextual semantic information. This approach enabled accurate segmentation of multimodal brain MRI images.

The study in [18] addressed the vanishing gradient problem in CNN and FCN models by introducing the ResNet model. This innovation incorporates "connection links" that facilitate the backward propagation of gradients, preserving spatial information and reducing computational time. The improved ResNet model, implemented in TensorFlow using the BraTS 2020 dataset, outperformed CNN and FCN models with higher accuracy and reduced computational time. ResNet's shortcut connections enable efficient tumor detection without expert intervention, alleviating complexity and time constraints.

The AGSE-VNet model for 3D MRI image segmentation was presented in [19]. Within the VNet architecture, a squeeze-and-excite (SE) module was integrated into the encoder, while an attention guide (AG) filter was included in

the decoder. The encoder enhanced relevant features while suppressing irrelevant details, and the attention block removed background noise while guiding feature extraction (e.g., edges). Additionally, a categorical Dice loss function was employed to address class imbalance. The model was evaluated on the BraTS 2020 validation set, producing Dice scores of 0.69 for TC, 0.85 for WT, and 0.68 for ET. Although these results are promising, particularly for WT and TC, further improvements may be necessary to fully harness the model's potential.

Study [20] employed an encoder-decoder CNN architecture for brain tumor segmentation using 3D MRI scans. The architecture featured an asymmetric design with a larger encoder and smaller decoder, along with an integrated auto-encoder branch for regularization. To enhance feature clustering, particularly with limited training data, the architecture utilized a variational auto-encoder strategy. An ensemble of ten models was trained, yielding Dice scores of 0.884 for WT, 0.815 for TC, and 0.766 for ET on the BraTS 2018 test set. Additionally, the deepSCAN architecture and its variants demonstrated comparable performance, achieving Dice scores of 0.890, 0.830, and 0.810 for WT, TC, and ET, respectively, on the BraTS test set after incorporating lightweight local attention and instance normalization.

BU-Net, an enhancement of the U-Net architecture, was introduced in [21]. It incorporates wide context modules and residual extended skip connections. The wide context block facilitates the transition from the encoder to the decoder by connecting the deconvolution layer output with the corresponding residual extended skip block output. Although the use of 2D convolution in BU-Net enhances contextual information acquisition and global feature aggregation, it results in a loss of context and local information across multiple image slices. To address class imbalance, a combined weighted cross-entropy and Dice loss function was employed. Evaluation on the BraTS 2017 and BraTS 2018 datasets demonstrated that BU-Net outperformed baseline methods, such as U-Net, EnsembleNet, Seg-Net, ResU-Net, PSPNet, S3DU-Net, NovelNet, TTA, and MCC, using the same optimizers and loss functions. However, further investigation is required to assess its performance under diverse algorithmic settings.

In [22], the AResU-Net model was introduced, enhancing the ResU-Net architecture by incorporating squeeze excitation and attention blocks in skip connections. These modifications improved the retrieval of features during up-sampling, reducing the semantic gap between down-sampling and up-sampling processes. Evaluation on the BraTS 2017 dataset with 20% of the training set yielded Dice scores of 0.780 for TC, 0.881 for WT, and 0.719 for ET. On the BraTS 2018 validation set, the AResU-Net model achieved Dice scores of 0.810 for TC, 0.876 for WT, and 0.773 for ET, outperforming most compared models in enhancing tumor segmentation.

A study in [23] implemented a 3D U-Net model with several enhancements, including substituting max pooling with

average pooling in the encoder for improved gradient flow. Dropout with a probability of 0.05 and instance normalization were applied in both the encoder and decoder. To address class imbalance, a weighted loss function combining categorical cross-entropy and curriculum class weighting was employed. Fivefold cross-validation using the BraTS 2018 dataset produced Dice scores of 0.793, 0.888, and 0.690 for TC, WT, and ET, respectively. On the validation set, the model achieved Dice scores of 0.825, 0.909, and 0.788 for TC, WT, and ET, respectively. Notably, it excelled in predicting enhanced tumors, warranting further investigation.

TABLE I COMPARISON OF COMMON DEEP LEARNING MODELS ON BRAIN TUMOR IMAGE SEGMENTATION

Reference	Modality	Network	Dataset	Dice Scores		
				Tumor Core (TC)	Whole Tumor (WT)	Enhanced Tumor (ET)
Nie <i>et al.</i> , [17]	MRI	3D FCN	DW images	0.9190	0.9401	0.9610
Shebab <i>et al.</i> , [18]	MRI	Res-Net	BRATS 2020	0.93	0.86	0.96
Guan <i>et al.</i> , [19]	MRI	AGSE-VNet	BRATS 2020	0.69	0.85	0.68
Myronenko <i>et al.</i> , [20]	MRI	3D-CNN	BRATS 2018	0.810	0.890	0.810
Rehman <i>et al.</i> , [21]	MRI	BU-Net	BRATS 2017, BRATS 2018	0.901	0.867	0.853
Zang <i>et al.</i> , [22]	MRI	AresU-Net	BRATS 2017, BRATS 2018	0.810	0.876	0.773
A. Crimi <i>et al.</i> , [23]	MRI	3D U-Net	BRATS 2018	0.825	0.909	0.788

V. DISCUSSION

The studies reviewed demonstrate the effectiveness of various deep learning models in accurately segmenting brain MRI images, as evidenced by the reported Dice scores. The Dice score, a critical metric for evaluating segmentation performance, measures the spatial overlap between predicted and ground truth regions.

Interpreting the Dice scores provides significant insights into the segmentation accuracy and robustness of the deep learning models. Higher Dice scores, closer to 1, indicate strong agreement between actual and predicted tumor regions, reflecting superior segmentation performance. Variations in Dice scores across different tumor regions-Tumor Core (TC), Whole Tumor (WT), and Enhanced Tumor (ET)-highlight the models' abilities to differentiate tumor subtypes and accurately capture tumor boundaries.

Based on the Dice scores, it can be inferred that deep learning models such as 3D fully convolutional networks (3D FCNs), ResNet models, AGSE-VNet models, and encoder-decoder CNN architectures exhibit high segmentation accuracy for brain tumor images. Consistently high scores across multiple studies suggest the reliability and effectiveness of these models in accurately identifying and delineating tumor regions. However, lower scores in specific regions indicate areas where further refinement, such as enhanced model

architectures or dataset augmentation, is required to improve segmentation performance.

VI. CONCLUSION

In conclusion, this brief yet critical review highlights significant advancements in the application of deep learning methods for brain tumor image segmentation within medical imaging technology. The promising results achieved by deep learning-based segmentation approaches underscore their potential to enhance diagnostic capabilities for brain tumor detection and analysis. Continued research and development in this field hold immense promise for advancing medical imaging practices and ultimately benefiting patient care through more accurate and efficient tumor segmentation techniques.

Declaration of Conflicting Interests

The authors declare no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The authors received no financial support for the research, authorship, and/or publication of this article.

Use of Artificial Intelligence (AI)-Assisted Technology for Manuscript Preparation

The authors confirm that no AI-assisted technologies were used in the preparation or writing of the manuscript, and no images were altered using AI.

REFERENCES

- [1] S. Minaee, Y. Boykov, F. Porikli, A. Plaza, N. Kehtarnavaz, and D. Terzopoulos, "Image Segmentation Using Deep Learning: A Survey," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, pp. 1-22, 2020.
- [2] R. Szeliski, *Computer Vision: Algorithms and Applications*, vol. 48, no. 09, pp. 48-5140-48-5140, 2011, doi: 10.5860/choice.48-5140.
- [3] X. Liu, L. Song, S. Liu, and Y. Zhang, "A review of deep-learning-based medical image segmentation methods," *Sustainability*, vol. 13, no. 3, pp. 1-29, 2021, doi: 10.3390/su13031224.
- [4] C. L. Chowdhary and D. P. Acharjya, "Segmentation and feature extraction in medical imaging: A systematic review," *Procedia Computer Science*, vol. 167, pp. 26-36, 2020, doi: 10.1016/j.procs.2020.03.179.
- [5] Y. Zhang, J. M. Gorritz, and Z. Dong, "Deep learning in medical image analysis," *Journal of Imaging*, vol. 7, no. 4, 2021, doi: 10.3390/jimaging7040074.
- [6] S. Saini and K. Arora, "A study analysis on the different image segmentation techniques," *International Journal of Information and Computing Technology*, vol. 4, no. 14, pp. 1445-1452, 2014. [Online]. Available: <http://www.irphouse.com>
- [7] A. Işin, C. Direkçolu, and M. Şah, "Review of MRI-based brain tumor image segmentation using deep learning methods," *Procedia Computer Science*, vol. 102, pp. 317-324, 2016, doi: 10.1016/j.procs.2016.09.407.
- [8] K. G. Kim, "Deep learning book review," *Nature*, vol. 29, no. 7553, pp. 1-73, 2019.
- [9] S.-T. Hsu, Y.-J. Su, C.-H. Hung, M.-J. Chen, C.-H. Lu, and C.-E. Kuo, "Automatic ovarian tumors recognition system based on ensemble convolutional neural network with ultrasound imaging," *BMC Medical Informatics and Decision Making*, vol. 22, no. 1, p. 298, Nov. 2022, doi: 10.1186/s12911-022-02047-6.
- [10] B. Wiestler and B. Menze, "Deep learning for medical image analysis: A brief introduction," *Neuro-Oncology Advances*, vol. 2, pp. IV35-IV41, 2020, doi: 10.1093/noajnl/vdaa092.
- [11] F. Zhao and X. Xie, "An overview of interactive medical image segmentation," *Annals of the British Machine Vision Association*, vol. 2013, no. 7, pp. 1-22, 2013.
- [12] J. Chen and E. C. Frey, "Medical image segmentation via unsupervised convolutional neural network," 2020. [Online]. Available: <http://arxiv.org/abs/2001.10155>
- [13] G. Wang *et al.*, "Interactive medical image segmentation using deep learning with image-specific fine-tuning," *IEEE Transactions on Medical Imaging*, vol. 37, no. 7, pp. 1562-1573, 2018, doi: 10.1109/TMI.2018.2791721.
- [14] M. H. Hesamian, W. Jia, X. He, and P. Kennedy, "Deep learning techniques for medical image segmentation: Achievements and challenges," *Journal of Digital Imaging*, vol. 32, no. 4, pp. 582-596, Aug. 2019, doi: 10.1007/s10278-019-00227-x.
- [15] W. You, C. Shen, D. Wang, L. Chen, X. Jiang, and Z. Zhu, "An intelligent deep feature learning method with improved activation functions for machine fault diagnosis," *IEEE Access*, vol. 8, pp. 1975-1985, 2020, doi: 10.1109/ACCESS.2019.2962734.
- [16] F. Lateef and Y. Ruichek, "Survey on semantic segmentation using deep learning techniques," *Neurocomputing*, vol. 338, pp. 321-348, 2019, doi: 10.1016/j.neucom.2019.02.003.
- [17] Mwendwa, "乳鼠心肌提取 HHS Public Access," *Physiology & Behavior*, vol. 176, no. 3, pp. 139-148, 2019, doi: 10.1109/TCYB.2018.2797905.
- [18] L. H. Shehab, O. M. Fahmy, S. M. Gasser, and M. S. El-Mahallawy, "An efficient brain tumor image segmentation based on deep residual networks (ResNets)," *Journal of King Saud University - Engineering Sciences*, vol. 33, no. 6, pp. 404-412, 2021, doi: 10.1016/j.jksues.2020.06.001.
- [19] X. Guan *et al.*, "3D AGSE-VNet: An automatic brain tumor MRI data segmentation framework," *BMC Medical Imaging*, vol. 22, no. 1, p. 6, Jan. 2022, doi: 10.1186/s12880-021-00728-8.
- [20] A. Myronenko, "3D MRI brain tumor segmentation using autoencoder regularization," in *Lecture Notes in Computer Science*, vol. 11384, pp. 311-320, 2019, doi: 10.1007/978-3-030-11726-9_28.
- [21] M. U. Rehman, S. Cho, J. H. Kim, and K. T. Chong, "BU-Net: Brain tumor segmentation using modified U-Net architecture," *Electronics*, vol. 9, no. 12, p. 2203, 2020, doi: 10.3390/electronics9122203.
- [22] J. Zhang, X. Lv, H. Zhang, and B. Liu, "AResU-Net: Attention residual U-Net for brain tumor segmentation," *Symmetry*, vol. 12, no. 5, pp. 1-15, 2020, doi: 10.3390/sym12050721.
- [23] A. Crimi *et al.*, *Glioma, Multiple Sclerosis, Stroke and Traumatic Brain Injuries*, vol. 2, Springer International Publishing, 2018, doi: 10.1007/978-3-030-11726-9.
- [24] P. Narendran and V. Thiagarasu, "Segmentation of 3D brain structures in MRI images," *Asian Journal of Computer Science and Technology*, vol. 8, no. 2, pp. 13-18, Apr. 2019.
- [25] P. Senthil, "Image mining automata-based seeded tumor C-Taxonomy algorithm for segmentation of brain tumors on MR images (BITA)," *Asian Journal of Computer Science and Technology*, vol. 5, no. 1, pp. 10-16, Feb. 2016.
- [26] G. C. Jyothi, C. Prakash, G. A. Babitha, and G. H. Kiran Kumar, "Comparison analysis of CNN, SVC, and random forest algorithms in segmentation of teeth X-ray images," *Asian Journal of Computer Science and Technology*, vol. 11, no. 1, pp. 40-47, Apr. 2022.
- [27] M. V. Khatokar, M. Hemanth Kumar, K. Chandras, M. D. Swetha, and P. Satish, "Automated detection of multiple sclerosis lesions in normal appearing white matter from brain MRI: A survey," *Asian Journal of Computer Science and Technology*, vol. 10, no. 1, pp. 38-44, May 2021.
- [28] T. Deep Singh and R. Bharti, "Detection and classification of plant diseases in crops (*Solanum lycopersicum*) due to pests using deep learning techniques: A review," *Asian Journal of Computer Science and Technology*, vol. 12, no. 2, pp. 39-47, Nov. 2023.